

wartości w nawiasie zostały uśrednione z najbliższych pomiarów

| | SYMBOL | X | Y | H BEZWZGL. (m n.p.m.) | UWAGI |
|---------------------|--------|----------|---------|--------------------------|--|
| PROJEKTOWANE ALEJKI | A. 01 | -1 839.9 | -60.7 | 82.72 | początek alejki przy al. Istniejącej |
| | A. 02 | -1 946.3 | 456.4 | 82.72 | początek alejki przy al. Istniejącej |
| | A. 03 | -1 800.9 | 36.3 | (82,72) | |
| | A. 04 | -1 803.3 | 387.5 | (82,80) | |
| | A. 05 | -1 089.6 | 602.0 | (82,62) | |
| | A. 06 | -1 258.2 | 786.8 | (82,70) | |
| | A. 07 | -566.2 | 1 070.7 | (82,52) | |
| | A. 08 | -741.5 | 1 249.0 | (82,60) | |
| | A. 09 | -47.8 | 1 978.6 | (82,42) | |
| | A. 10 | -287.8 | 2 048.7 | (82,50) | |
| | A. 11 | 439.4 | 3 171.8 | (82,22) | |
| | A. 12 | 227.0 | 3 305.2 | (82,30) | |
| | A. 13 | 1 085.7 | 3 937.9 | (82,02) | |
| | A. 14 | 932.0 | 4 135.2 | (82,10) | |
| | A. 15 | 1 214.8 | 4 310.4 | (82,15) | połączenie alejek |
| | A. 16 | 1 261.3 | 4 446.9 | (82,18) | połączenie alejek |
| | A. 17 | 662.6 | 5 607.9 | (82,70) | |
| | A. 18 | 562.0 | 5 652.9 | (82,80) | początek alejki przy al. Istniejącej |
| | A. 19 | 800.5 | 5 949.4 | (82,80) | początek alejki przy al. Istniejącej |
| | A. 20 | 815.0 | 5 857.8 | (82,82) | |
| | A. 21 | 1 523.2 | 4 484.5 | (82,74) | połączenie alejek |
| | A. 22 | 1 625.5 | 4 431.2 | (82,15) | połączenie alejek |
| | A. 23 | 2 434.5 | 4 016.9 | (82,02) | |
| | A. 24 | 2 557.3 | 4 234.9 | (82,10) | |
| | A. 25 | 3 307.2 | 3 375.3 | (82,02) | |
| | A. 26 | 3 491.2 | 3 544.7 | (82,10) | |
| | A. 27 | 3 695.5 | 2 917.1 | (82,02) | połączenie ze schodami kamiennymi |
| | A. 28 | 3 892.0 | 3 072.1 | (82,10) | |
| | A. 29 | 3 887.8 | 2 648.9 | (82,02) | połączenie ze schodami kamiennymi |
| | A. 30 | 4 092.3 | 2 792.7 | (82,10) | |
| | A. 31 | 4 380.2 | 1 951.4 | (82,02) | |
| | A. 32 | 4 595.3 | 2 078.7 | (82,10) | |
| | A. 33 | 4 803.1 | 1 175.6 | (82,02) | |
| | A. 34 | 5 019.9 | 1 299.0 | (82,10) | |
| | A. 35 | 5 163.7 | 369.0 | (82,02) | |
| | A. 36 | 5 398.3 | 455.1 | (82,10) | |
| | A. 37 | 5 106.8 | 240.9 | (82,05) | początek alejki przy al. Istniejącej |
| | A. 38 | 5 526.4 | 398.8 | (82,12) | początek alejki przy al. Istniejącej |
| OŚ ALEJEKI | AO. 01 | -1 879.4 | 133.7 | 82.72 | początek osi |
| | AO. 02 | -653.8 | 1 159.9 | 82,80 | |
| | AO. 03 | -167.8 | 2 013.7 | 82,50 | |
| | AO. 04 | 328.2 | 3 228.9 | (82,30) | |
| | AO. 05 | 1 000.0 | 4 036.8 | (82,10) | |
| | AO. 06 | 1 489.4 | 4 284.2 | 82,02 | połączenie osi alejek |
| | AO. 07 | 699.0 | 5 823.6 | (82,80) | |
| | AO. 08 | 2 496.0 | 4 125.9 | 82,05 | |
| | AO. 09 | 3 396.6 | 3 462.6 | 82,05 | |
| | AO. 10 | 3 790.8 | 2 998.7 | 82,02 | |
| | AO. 11 | 5 317.4 | 320.1 | 82,05 | koniec osi |
| | B. 01 | 839.8 | 662.5 | 80.5 | UWAGA - wszystkie punkty dotyczą wewn. kraw. ściany basenu |
| | B. 02 | 789.4 | 1 017.3 | 80.5 | |
| | B. 03 | 834.8 | 1 310.3 | 80.5 | |
| | B. 04 | 1 155.2 | 2 066.1 | 80.5 | |
| | B. 05 | 1 205.2 | 2 498.7 | 80.5 | |

| | | | | | |
|------------------------------|-------|---------|---------|---------|--------------------------------|
| BASEN FONTANNY | B. 06 | 1 363.1 | 2 854.8 | 80.5 | |
| | B. 07 | 1 835.5 | 3 129.5 | 80.5 | |
| | B. 08 | 2 290.5 | 2 902.1 | 80.5 | |
| | B. 09 | 2 485.0 | 2 470.7 | 80.5 | zakończenie schodów kamiennych |
| | B. 10 | 2 581.9 | 2 123.7 | 80.5 | zakończenie schodów kamiennych |
| | B. 11 | 2 754.1 | 1 831.0 | 80.5 | |
| | B. 12 | 3 108.7 | 1 429.7 | 80.5 | |
| | B. 13 | 3 348.7 | 972.8 | 80.5 | |
| | B. 14 | 2 905.1 | 567.5 | 80.5 | |
| | B. 15 | 2 156.4 | 465.8 | 80.5 | |
| | B. 16 | 1 418.3 | 557.5 | 80.5 | |
| | B. 17 | 1 137.3 | 516.0 | 80.5 | |
| NIECKA - OBNIŻENIE W TERENIE | N. 01 | 698.1 | -166.4 | 82 | |
| | N. 02 | -40.0 | 1 108.6 | 82.29 | |
| | N. 03 | 290.8 | 2 354.3 | 82.23 | |
| | N. 04 | 1 034.1 | 3 622.7 | 81.99 | |
| | N. 05 | 1 842.2 | 4 020.1 | (81,87) | |
| | N. 06 | 2 973.2 | 3 413.3 | 81.73 | |
| | N. 07 | 3 968.2 | 2 191.7 | (81,69) | |
| | N. 08 | 4 302.2 | 1 195.2 | 81.65 | |
| | N. 09 | 4 196.1 | 686.6 | 81.64 | |
| | N. 10 | 3 923.3 | 177.9 | 81.8 | |
| | N. 11 | 3 113.8 | -143.1 | 81.82 | |
| | N. 12 | 1 805.5 | -465.4 | 81.84 | |
| | N. 13 | 1 416.0 | 487.3 | 80.45 | krawędź basenu |
| | N. 14 | 774.3 | 634.9 | 80.45 | ... |
| | N. 15 | 768.1 | 1 332.0 | 80.45 | ... |
| | N. 16 | 1 086.6 | 2 083.0 | 80.45 | ... |
| | N. 17 | 1 302.6 | 2 890.4 | 80.45 | ... |
| | N. 18 | 1 837.2 | 3 199.6 | 80.45 | ... |
| | N. 19 | 2 545.4 | 2 512.1 | 80.45 | ... |
| | N. 20 | 2 965.0 | 1 679.7 | 80.45 | ... |
| | N. 21 | 3 442.3 | 958.5 | 80.45 | ... |
| | N. 22 | 2 923.8 | 500.0 | 80.45 | ... |
| | N. 23 | 2 158.6 | 395.6 | 80.45 | krawędź basenu |
| DNO BASENU | C. 01 | 2 539.0 | 1 102.9 | 79.77 | narożnik cokołu rzeźby |
| | C. 02 | 2 517.6 | 1 257.0 | 79.64 | narożnik cokołu rzeźby |
| | C. 03 | 2 325.9 | 1 258.3 | 79.55 | |
| | C. 04 | 2 134.6 | 1 359.6 | 79.2 | |
| | C. 05 | 1 918.6 | 1 514.2 | (78,70) | kosz ssawny |
| | C. 06 | 1 891.3 | 1 833.1 | 80.35 | |
| | C. 07 | 1 848.6 | 2 230.8 | 79.2 | |
| | C. 08 | 1 862.6 | 2 644.2 | 79.55 | fontanna |
| SCHODY KAMIENNE | S. 01 | 3 517.7 | 2 851.1 | 82 | |
| | S. 02 | 3 738.2 | 2 541.7 | 82 | |
| | S. 03 | 3 305.1 | 2 514.2 | 82 | początek spocznika |
| | S. 04 | 3 281.3 | 2 152.7 | 81.4 | spocznik |
| | S. 05 | 3 002.5 | 2 543.4 | 81.25 | spocznik |
| | S. 06 | 3 007.8 | 2 141.2 | 80.5 | koniec spocznika |
| | S. 07 | 2 731.7 | 2 287.8 | 80.5 | |
| | S. 08 | 2 870.1 | 1 857.9 | 80.45 | |

wartości w nawiasie zostały uśrednione z najbliższych pomiarów

| | SYMBOL | X | Y | H BEZWZGL. (m n.p.m.) | UWAGI |
|---------------------------|--------|----------|----------|--------------------------|---------------------------|
| PROJEKTOWANA ZIELEŃ | Z. 01 | -2 670.5 | -2 646.9 | (82,40) | rabata 1 |
| | Z. 02 | -2 474.5 | -1 828.4 | (82,40) | rabata 1 |
| | Z. 03 | -1 442.2 | -2 240.4 | (82,05) | rabata 2 |
| | Z. 04 | -1 836.5 | -1 214.0 | (82,40) | ... |
| | Z. 05 | -905.0 | -1 796.4 | (82,30) | ... |
| | Z. 06 | -167.1 | -1 755.3 | (82,05) | ... |
| | Z. 07 | -967.3 | -1 189.4 | (82,30) | ... |
| | Z. 08 | -644.4 | -1 148.2 | (82,30) | ... |
| | Z. 09 | -141.2 | -1 079.0 | (82,30) | ... |
| | Z. 10 | -200.5 | -110.0 | (82,30) | ... |
| | Z. 11 | -1 002.1 | 36.0 | (82,20) | ... |
| | Z. 12 | -554.0 | 1 044.3 | (82,60) | rabata 2 |
| | Z. 13 | -1 409.5 | 886.0 | (82,60) | rabata 3 |
| | Z. 14 | -1 073.1 | 1 301.0 | (82,60) | rabata 3 |
| | Z. 15 | -358.6 | 2 533.6 | (82,40) | rabata 4 |
| | Z. 16 | -67.5 | 3 335.7 | (82,40) | rabata 4 |
| | Z. 17 | 1 042.1 | 4 264.9 | (82,10) | rabata 5 |
| | Z. 18 | 1 186.0 | 4 590.1 | (82,10) | ... |
| | Z. 19 | 1 007.7 | 4 939.3 | (82,50) | ... |
| | Z. 20 | 389.2 | 5 454.6 | (82,92) | ... |
| | Z. 21 | 635.7 | 4 775.0 | (82,50) | rabata 5 |
| | Z. 22 | 989.1 | 5 525.3 | (82,50) | rabata 6 |
| | Z. 23 | 1 156.1 | 672.6 | (82,80) | ... |
| | Z. 24 | 862.8 | 1 030.3 | (82,80) | rabata 6 |
| | Z. 25 | 1 284.5 | 5 585.3 | (82,50) | rabata 7 |
| | Z. 26 | 1 458.4 | 4 686.0 | (82,50) | ... |
| | Z. 27 | 1 793.2 | 4 599.5 | (82,02) | rabata 7 |
| | Z. 28 | 2 363.2 | 4 575.3 | (82,02) | rabata 8 |
| | Z. 29 | 3 328.8 | 5 054.8 | (82,02) | rabata 8 |
| | Z. 30 | 3 469.8 | 4 152.2 | (82,02) | rabata 9 |
| | Z. 31 | 4 421.6 | 3 642.1 | (82,02) | rabata 9 |
| | Z. 32 | 5 186.0 | 2 596.2 | (82,02) | rabata 10 |
| | Z. 33 | 5 386.5 | 1 370.3 | (82,02) | rabata 10 |
| | Z. 34 | 5 044.7 | 648.9 | (82,02) | rabata 11 - przy schodach |
| | Z. 35 | 4 592.8 | 50.3 | (82,02) | ... |
| | Z. 36 | 4 045.7 | 317.7 | 81,80 | ... |
| | Z. 37 | 4 468.0 | 931.9 | (82,02) | ... |
| | Z. 38 | 4 059.3 | 1 449.4 | (81,60) | ... |
| | Z. 39 | 1 557.6 | 4 605.0 | (82,02) | ... |
| | Z. 40 | 2 995.6 | 1 619.3 | (80,45) | ... |
| | Z. 41 | 2 484.9 | 2 670.5 | (80,45) | ... |
| | Z. 42 | 2 508.2 | 3 965.2 | (82,02) | rabata 11 - przy schodach |
| KOSZE NA ŚMIECI | K. 01 | -2 452.6 | -2 577.0 | 82.8 | |
| | K. 02 | -1 770.6 | 431.3 | (82,55) | |
| | K. 03 | 637.3 | 5 686.0 | (82,50) | |
| | K. 04 | 1 635.2 | 4 453.6 | (82,05) | |
| | K. 05 | 3742.48 | 3 223.0 | (82,02) | |
| | K. 06 | 5 516.1 | 426.9 | (82,05) | |
| PROMIENIE UKŁÓW ALEJKI | O. 01 | -2 928.6 | -2 501.2 | (82,40) | środek łuku |
| | O. 02 | 275.4 | 410.6 | (82,30) | środek łuku |
| | O. 03 | 917.9 | 1 039.9 | (80,00) | środek łuku |
| | O. 04 | -2 080.4 | 2 536.1 | (82,40) | środek łuku |
| | O. 05 | 1 816.2 | 3 025.2 | (80,30) | środek łuku |

| | | | | | | |
|----------|-----|----|----------|----------|---------|---|
| Ł | O. | 06 | 2 466.6 | 2 115.9 | (80,30) | środek łuku |
| ŁAWKI | L. | 01 | -819.6 | 1 133.7 | (82,60) | środek ławki |
| | L. | 02 | 12.8 | 2 772.5 | (82,35) | środek ławki |
| | L. | 03 | 1 009.9 | 4 155.0 | (82,05) | środek ławki |
| | L. | 04 | 2 625.3 | 4 148.1 | (82,05) | środek ławki |
| | L. | 05 | 3 822.0 | 3 112.9 | (82,02) | środek ławki |
| | L. | 06 | 4 745.8 | 1 753.9 | (82,02) | środek ławki |
| | L. | 07 | 5 295.1 | 623.6 | (82,05) | środek ławki |
| ŻYWOPLÓT | P. | 01 | -1 496.7 | 662.8 | 82.7 | |
| | P. | 02 | -436.9 | 567.9 | (82,55) | |
| | P. | 03 | -410.6 | 1 870.3 | (82,40) | |
| | P. | 04 | 193.4 | 3 367.5 | (82,30) | |
| | P. | 05 | 333.3 | 3 580.5 | (82,10) | |
| | P. | 06 | 1 166.6 | 4 500.3 | (82,10) | |
| | P. | 07 | 1 494.5 | 4 669.4 | (82,05) | |
| | P. | 08 | 1 889.1 | 4 502.0 | (82,05) | |
| | P. | 09 | 2 132.8 | 4 469.7 | (82,05) | |
| | P. | 10 | 3 048.8 | 3 817.6 | (82,05) | |
| | P. | 11 | 3 286.7 | 4 001.1 | (82,05) | |
| | P. | 12 | 4 091.8 | 2 896.8 | (82,02) | |
| | P. | 13 | 4 733.0 | 1 995.5 | (82,02) | |
| | P. | 14 | 5 282.2 | 881.7 | (82,05) | |
| LATARNIE | M. | 01 | -1812.64 | 552.13 | 82.7 | latarnia przy nowo projektowanej alejce |
| | M. | 02 | -702.1 | 1 526.4 | (82,55) | ... |
| | M. | 03 | -85.7 | 3 999.7 | (82,35) | ... |
| | M. | 04 | 1 032.0 | 4 384.0 | (82,05) | ... |
| | M. | 05 | 1 719.3 | 4 591.1 | (82,05) | ... |
| | M. | 06 | 3 018.7 | 4 135.6 | (82,02) | ... |
| | M. | 07 | 4 070.0 | 3 083.3 | (82,02) | ... |
| | M. | 08 | 4 984.6 | 1 695.0 | (82,05) | latarnia przy nowo projektowanej alejce |
| | M. | 09 | 6 216.5 | -35.4 | (82,07) | latarnia przy istniejącej alejce |
| | M. | 10 | 3 515.3 | -1 054.9 | (82,05) | ... |
| | M. | 11 | 814.1 | -2 074.5 | (82,05) | ... |
| | M. | 12 | -1 887.1 | -1 094.0 | (82,05) | latarnia przy istniejącej alejce |
| DRZEW/A | D. | 01 | 3 515.3 | -1 054.9 | (82,05) | drzewo projektowane |
| | DX. | 02 | 814.1 | -2 074.5 | (82,05) | istniejące drzewo do wycięcia |
| | DX. | 03 | -1 887.1 | -1 094.0 | (82,05) | istniejące drzewo do wycięcia |